


# BROCHURE INTERNAL PANELS

ISSUE 1



### **SHOWER PANELS**

### The no-mess solution for perfectly finished shower walls

Deeplas extensive range of shower panels have been designed specifically to fit modern 900mm and 1200mm width shower trays. With no grouting required, this is a quick and easy way to provide a high quality finish to any bathroom. Available in a range of colours and finish options, this ensures that there is a design to enhance all shower and bathroom interiors. Deeplas shower panels are 100% lead free, meet stringent Class 1 fire ratings and has a 5 year guarantee given a perfect finish that will last.

#### More than just a shower panel

To transform the look of the whole bathroom, Deeplas shower panels can also be used to create continuous flat panels by using the mid joint trim.

# Why choose Deeplas shower panels?

- Available in a range of colours and finishes to suit every taste
- Available in 2400mm Length x 10mm Thick x 900mm or 1200mm widths
  - Class 1 fire rated\*
  - Completely lead-free for minimal environmental impact
  - Quick and easy to install no grouting required
    - 100% water resistant
      - 5 Year Guarantee

#### Colours to enhance all shower rooms

Deeplas shower panels are available in a wide range of colours and finishes:



# SHOWER PANELS

#### P1200 - Straight Cut

Colour				
Light Grey Mist				
Marble Grey				
Sparkle White				
Sparkle Black				
Marble Beige				
Sparkle Beige				
Dark Grey Mist				
White Glossy				
Urban Slate				
Whicker Slate				
White Fusion				
Premium Mellow Shadow				
Premium Soft Shadow				
Premium Intense Shadow				
Premium Mineral Mist				
Premium Pewter Mist				

#### P296 - Internal Corner Metal (2.4m)

Pack Qty: 1 Per Pack

Code	Colour
P296	Polished Chrome
P296	White
P296	Black
P296	Satin Anodised

#### P293 - External Corner Metal (2.4m)

Pack Qty: 1 Per Pack

Code	Colour
P293	Polished Chrome
P293	White
P293	Black
P293	Satin Anodised

#### P294 - End Cap Metal

Pack Qty: 1 Per Pack

Code	Colour
P294	Polished Chrome
P294	White
P294	Black
P294	Satin Anodised

#### P295 - Mid Joint Metal (2.4m)

Pack Qty: 1 Per Pack

Code	Colour
P295	Polished Chrome
P295	White
P295	Black
P295	Satin Anodised

#### P900 - Tongue & Groove

Code	Colour
P900	Light Grey Mist
P900	Marble Grey
P900	Sparkle White
P900	Sparkle Black
P900	Marble Beige
P900	White Glossy



### **WALL PANELS**

# Hygienic, easy-clean, waterproof wall panels in a choice of colours to suit all tastes

When you need clean, hygienic, moisture resistant wall coverings, the Decor system from Deeplas offers an attractive, easy clean solution that will enhance any room.

#### Suitable for a wide range of interiors


The waterproof tongue-and-groove panels are ideally suited for many rooms in the home, as well as shops, offices, shower rooms, steam rooms (up to 60°C), food preparation areas, laboratories and many more.

# Why choose Decor wall panels?

- Attractive, tongue-and-groove panels to enhance any room
- Hygienic and easy to maintain, with a wipe-clean finish
- Waterproof finish ideal for shower rooms
  - Class 1 fire rated\*
  - Completely lead-free for minimal environmental impact
    - Quick and easy to install

#### Colours to enhance any room

Decor wall panels are available in a wide range of colours to suit all tastes:



# DECOR WALL PANELS

Product	Colour	Code	Width	Length	Qty per box
P250	Glossy White	1	250mm	2.7m	10
P250	Midnight Haze	5350	250mm	2.7m	10
P250	Misty Grey	5354	5354 250mm		10
P250	Harvest Sand	5356	250mm	2.7m	10
P250	White Sparkle	5347	250mm	2.7m	10
P250	Black Sparkle	5348	250mm	2.7m	10
P300	Mellow Bark	5330	300mm 2.7m		10
P300	Intense Bark	5331	300mm	2.7m	10
P300	Soft Bark	5332	300mm	2.7m	10
P300	Coastal Drift	5333	300mm	2.7m	10
P300	Natural Drift	5334	300mm	2.7m	10
P300	Storm Drift	5335	300mm	2.7m	10
P500	Frosted Tile	5550	500mm	2.7m	4
P500	Hessian Tile	5551	500mm	2.7m	4
P500	Mocca Tile	5552	500mm	2.7m	4
P500	Fossil	5553	500mm	2.7m	4

#### Accessories

Product	Colour	Code	Width	Length	Qty per box
195	25mm x 25mm external angle	White	1	6	10
125	Two part starter edge trim	White oak	1057	2.6	5
292	Coving Starter edge trim	White	1	2.7	10
291	Internal/External corner	White	1	2.7	10
280	External Angle	Chrome	5000	2.75	25
283	Single part starter edge trim	Chrome	5000	2.6	25
290	Single part starter edge trim	White	1	2.7	25
284	Two part H section	Chrome	5000	2.6	25
282	Two part Internal corner	Chrome	5000	2.7	10





### **EASYCEIL CEILING PANELS**

#### White waterproof panels provide an attractive wipe-clean ceiling for any application

If you need to create a clean, waterproof ceiling for any bathroom, shower enclosure or wet room, EasyCeil from Deeplas provides an ideal solution that will enhance the appearance of your room.



#### Premium-quality wipe-clean panels

The lightweight, white gloss panels are 100% waterproof and are embellished with chrome infills to create a premium-quality look. Panels are delivered with a protective film covering and once fitted can be kept in immaculate condition with a simple wipe clean. The White Oak ceiling panel is available with matching trims.

Product	Description	Colour	Code	Length	Qty pack
P130	167mm foiled panel with recess	White Oak	1057	2.6	5
P200	200mm ceiling panel with silver insert	Glossy white	1	2.7	8
P200	200mm ceiling panel with silver insert	Glossy white	1	4	8
P125	Two part starter edge trim	White oak	1057	2.6	5
P292	Coving Starter edge trim	White	1	2.7	10
P283	Single part starter edge trim	Chrome	5000	2.6	25
P290	Single part starter edge trim	White	1	2.7	25

### **EASYCEIL CEILING PANELS**

### Easy-to-install panels help to reduce condensation

As well as improving the appearance of your room EasyCeil panels can help to reduce condensation and enhance the insulation of your room.

# Why choose EasyCeil ceiling panels?

- Gloss white tongue-and-groove panels with chrome infills to enhance the appearance of any bathroom, shower enclosure or wet room
  - White Oak foil panels giving an architectural recessed finish
  - · Easy to maintain, with a wipe-clean finish
    - Designed for rapid, simple installation
  - Waterproof panels help to reduce condensation and improve insulation
    - Class 1 fire rated\*
    - Completely lead-free for minimal environmental impact

\* Excluding foiled products

### **INSTALLATION**

#### Pre-installation panels

Panels can be fitted in any room in the house, office, factory, food preparation area etc. Includes shower cubicles with a maximum of 60 degrees, not recommended for steam rooms. Use general purpose, solvent based adhesives or neutral cure low module silicones when fixing to plaster or brickwork. Use a moisture cure, solvent free adhesive or silicone when fixing to tiling. Clean with a non-abrasive household cleaner with a soft cloth or sponge. Do not use neat bleach. Rinse with water.

#### 1. Batch number

Always check the batch numbers on each box to ensure they are exactly the same prior to installation.

#### 3. Measure

Measure panel, cut to size of required, and fit together, tongue and groove boards slot easily together.

#### 2. Use spirit level

Apply back of starter edge trim and corners to wall/ceiling – Use spirit level continually to check for straightness.

#### 4. Apply

Apply front face of edge/corner trims to complete installation.

When using in wet areas a 3mm bead of silicone is recommended between panels to ensure waterproof join.




# Full product range































#### Customer service

If you need any assistance, please call the Customer Services team on the following number or visit deeplas.co.uk



0800 988 7307